JOB NO. 4526 Apache Oil & Co \_ Load/Unload 2/95

P. O. Drawer O . Freeport, Texas 77541

INVOICE NO. : 2797-95

DATE

: Feb 13, 1995

Jab Na.

: 4526-1

Location

: Freeport Yard

TO: Apache Oil & Gas Co

P. O. Box 51188

Lafayette, La. 70354

PLEASE REMIT PAYMENTS TO:

11011 RICHMOND SUITE 500

HOUSTON, TX. 77042

Terms

: Net 30

FOR: Services as follows:

Unload jet breaks

Gal 296-B

Labor: Leadman 1 @ 33.50

Journey 4 @ 31.00 Crane 3 @ 130.00 Equip:

TOTAL AMOUNT DUE:

124.00 260.00 \$ 417.50

33.50

Arrived: 2/1

PHONE: (409) 233-6371

**HER 05107** 

### JOB WORKSCOPE/BREAKDOWN

JOB NO:	4526 CUSTOMER	:: apacke Ou	BARGE: Good,
FOREMAN	: S/T	@36.00	\$
	O/T	@51.75 V	
LEADMAN	: S/T/	@33.50	33.50
	0/т		
JOURNEY	: S/T <u>+</u>	@31.00	124.00
	O/T	044.25	
DISPOSA	L:	_GAL @ .35	
			<del> </del>
MATERIA:	<del></del>	PLUS 20%	
STOCK M	ATERIAL:	PLUS 20%	
EQUIP:			
	COMPRESSOR	@ 44.	<del></del>
	AIR MOVERS		<del></del>
	FORKLIFT	@ 20.	<u> </u>
	TUGBOAT		
	STEAM RIG		<del></del>
	VACUUM	@ 18.	
	HAND HOSE	<u> </u>	· · · · · · · · · · · · · · · · · · ·
11	WELDING MACHINE	@ 15.	<del></del>
	CHERRYPICKER		
2	CRANE		
0	FLATBED TRUCK	0 20.	
7)	3" GAS PUMP	@ 14.	
		@ 12.	
	BUTTERWORTH	@ 10.	
	4" ELECTRIC PUMP	@ 15.	<del></del>
	WORK BARGE	0 35.	
	CUTT NG RIG	<u> </u>	
	HAUL OUT	01100	.00/day
ARRIVED	: <u>0//</u>	PLETED:	DEPARTED:
	LO		

HER 05108


FREEPORT, TEXAS GELECA GASISTA **FOREMAN'S DAILY TIME REPORT** JOB NO. 4526 DATE 2-2-95 APACHE OIL AND GAS GHERIEL DE LA ROSA LARRY BALLINGER 540 সহার্থ<u>ির</u> **HER 05109** CODED AND EXTENDED, BY APPROVED

חבאטטעבט	SEEMAN SEE SUITE SATISFACE SEE WASHING											
MARINE SERVICE CORP. FREEPORT, TEXAS FOREMAN'S DAILY TIME REPORT												T 0 T A
JOB NO	UNLORO TRUCK											H 0 U R
CLASS NO.	INKE							1				•
APACHE ALL AND GAS	7	<u> </u>		! <u>i</u>	i .	<b>\$</b>		<u></u> t			<u> </u>	
=										i		
7		]			<u> </u>  -							
-												
<del>-</del> ;		ļ <u>.                                  </u>			<u> </u>							
<del>-</del>									-			
· -							-				<u> </u>	
i ·					<u> </u>							
-				<del> </del>						<del></del>		
-					<u> </u>				<u> </u>			
				-							ļ	ļ. <u></u>
			<u> </u>	<u> </u>								
ON LARRY BALLINGER	/	<u> </u>	·		1							,
P) SAM PETTIT	/											,
	<b>/</b>	<del> </del>			<u>                                     </u>	<del>                                     </del>					<del> </del>	<del>                                     </del>
	<del> </del>	<del> </del>		_							<u> </u>	
CRANE INR	<u> </u>								  EB ^=	140		-
TOTAL HOURS	<u>.</u>								IER 05	<u> </u>	1	\$
Temmy FOREMAN EXT	DED HO ENDED				<del></del>		PPROVEO				<del></del>	

## STRAIGHT BILL OF LADING Shipper No:- \_\_\_ ORIGINAL-NOT NEGOTIABLE Carrier No: \_ 10t Internation Date 1-3/-95 (SCAC) FROM: CHEMJECT INTERNATIONAL TO: Shipper Consignee 1136 North Kirkwood State TX Zip Code 77043 **Houston** City (713) 556-6616 Zip Code 24 hr. Emergency Contact Tel. No. BASIC DESCRIPTION Proper Shipping Name, Hazard Class. Identification Number (UN or NA) per 172.101, 172.202, 172.203 WEIGHT (Subject to Correction) CHARGES TOTAL QUANTITY No.of Units HM Weight, Volume Gallans, etc.) RATE (For Carrier Use Only) & Container Type دىن 4-155 220 Lillon The same of the sa REMIT C.O.D. TO: ADDRESS PLACARDS TENDERED: YES KINO [ Pl samply depictes that the consense of this consequent are held as above the proper shipping and the consequence of the consequence and the consequence of the conse C.O.D. FEE: PREPAID | COLLECT | COD FREIGHT CHARGES CARRIER & PER

DATE

Permanent post-office address of shipper?



STYLE F65 LABELMASTER, An American Labelmark Co., Chicago, IL 80846 800/621-5808

#### JET BREAK 2500

#### MATERIAL SAFETY DATA SHEET

CAS NO. AND NAME: Flammable Liquid, N.O.S.

(Methanol) UN 1993

CHEMICAL FAMILY: Blend of esters in heavy aromatic naphtha

CHEMICAL FORMULA: Proprietary

MSDS No.:

MANUFACTURER/SUPPLIER: EMERGENCY HEALTH INFORMATION: (800)556-6695

ChemJect International

EMERGENCY SPILL INFORMATION: (800)556-6695

14384 Koalstad

Conroe, Texas 77302 Phone (409) 446-2538

OTHER PRODUCT SAFETY FORMATION: (800)556-6695

#### HAZARDOUS COMPONENTS:

ACGIH OSHA

Components CAS No. Weight & TLV STEL

HAN Ap 60 No single TLV applicable

Resin Esters Ap 40 No single TLV applicable

Methanol 67-56-1 Ap 7-8 200 ppm

#### CHEMICAL AND PHYSICAL PROPERTIES

APPEARANCE AND ODOR: Amber clear liquid with aromatic odor

MOLECULAR WEIGHT: N/A Blend of products
BOILING POINT (Deg. Fahrenheit): >220°F
MELTING POINT (Deg. Fahrenheit): N/A
VAPOR PRESSURE (mm of Mercury): N/A

SPECIFIC GRAVITY (Water = 1): 0.915-0.925

VAPOR DENSITY (Air = 1): NE

PERCENT VOLATILE (by Weight): Ap 60

pH: N/A

SOLUBILITY IN WATER: Dispersible

EVAPORATION RATE (Butyl Acetate = 1): >1

#### FIRE AND EXPLOSION INFORMATION

PLASHPOINT (Deg. Fahrenheit: PMCC): 144-146°F.
FIRE EXTINGUISHING MEDIA: Dry Chemical, foam or CO2
FLAMMABLE LIMITS (Percent by Volume): Lower Upper

SPECIAL FIRE FIGHTING PROCEDURES

& EQUIPMENT: Water spray may be ineffective. Cool object with fresh water to prevent explosion.

UNUSUAL FIRE & EXPLOSION HAZARDS: N/A

JET BREAK 2500 Page 2 of 5 MSDS NO.:

HAZARDOUS COMBUSTION PRODUCTS: Irritating vapor when heated at extreme temperatures or involved in a fire. Carbon dioxide, carbon monoxide and nitrous compounds may be emitted.

#### REACTIVITY INFORMATION

STABILITY: Unstable Stable X
CONDITIONS TO AVOID: High heat or flames, sparks, open lights.
INCOMPATIBILITY (Materials to avoid): Oxidizers and strong alkali material.
HAZARDOUS DECOMPOSITION: CO2 and/or carbon monoxide
HAZARDOUS POLYMERIZATION: Will Occur Will Not Occur
X
CONDITIONS TO AVOID: N/A

#### HEALTH HAZARD INFORMATION

EXPOSURE FROM ROUTINE USE: Vapors are irritating. Irritation may occur upon skin contact.

EFFECTS OF OVEREXPOSURE: Contact with skin or eyes may cause severe burns.

PROBABLE ROUTES OF EXPOSURE: Eyes, skin and inhalation.

#### EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT: Immediately flush with large quantities of water for at lease 15 minutes. Seek medical attention immediately.

SKIN CONTACT: Flush with plenty of fresh water. Seek medical attention if the burning sensation persists and/or if a rash develops. Wash contaminated clothing before re-use.

INHALATION: Remove to fresh air. Give oxygen if necessary.

Seek medical attention immediately.

INGESTION: Do not induce vomiting. Have victim drink plenty of fresh water or milk. Seek medical attention immediately.

#### TOXICITY DATA

ORAL: NE
DERMAL: NE
INHALATION: |

CARCINOGENICITY: Not listed by IARC, NTP, OSHA, or ACGIH OTHER PERTINENT DATA: Product is corrosive to skin. Caution should be headed when handling this material.

#### SPECIAL PROTECTION INFORMATION

PERSONAL PROTECTIVE EQUIPMENT:

- PROTECTIVE GLOVES: Neoprene
- EYE PROTECTION: Safety goggles and face shield when splash may occur.
- RESPIRATORY PROTECTION

(SPECIFY TYPE): Approved NIOSH respirator needed when

ventilation is not adequate.

OTHER PROTECTIVE EQUIPMENT: Impervious clothing

**VENTILATION:** 

- LOCAL EXHAUST: Needed if ventilation is inadequate
- MECHANICAL (GENERAL): N/A
- SPECIAL: N/A

#### SPILL, LEAK AND DISPOSAL PROCEDURES

STEPS TO BE TAKE IN CASE MATERIAL IS RELEASED OR SPILLED - USG self-contained breathing apparatus. Keep any ignitable sources away. Dike spill. Prevent liquid from entering sewers, waterways or low areas. Recover free liquid for re-use and reclamation. Soak up with sawdust, sand or other absorbent material.

WASTE DISPOSAL METHODS - Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state and local regulations. All non-usable product should be disposed in accordance with regulations in an approved incinerator. Do not flush to surface water or sewers.

CLEAN WATER ACT REQUIREMENTS - Data not yet established.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) REQUIREMENTS - Data not yet established.

#### HAZARD RATINGS

#### NFPA HAZARD RATINGS PRODUCT ID

- Fire 4 - Extreme
- 3 High 3
- 2 Moderate Health 2 0 Reactivity
- 1 Slight Special
- 0 Insignificant

JET BREAK 2500 MSDS No.:

Page 4 of 5

HMIS HAZARD INDEX

HMIS RATINGS

Hazardous 4 - Severe Materials 3 - Serious

Health Flammability

Identification

2 - Moderate

Reactivity

1 - Slight

Personal

Protection 0 - Minimal

System

Letter Designations of Personal Protective Equipment:

Safety Glasses A

Safety Glasses, Gloves В

Safety Glasses, Gloves, Synthetic Apron C

Face Shield, Gloves, Synthetic Apron

Safety Glasses, Gloves, Dust Resp E

Safety Glasses, Gloves, Syn Apron, Dust Resp F

Safety Glasses, Gloves, Vapor Resp G

Splash Goggles, Gloves, Syn Apron, Vapor Resp

Safety Glasses, Gloves, Combo dust and Vapor Resp I

Splash Goggles, Gloves, Syn Apron, Combo Dust and Vapor Resp J

Airline Hood or Mask, Gloves, Full Protective Suit, Boots K

Situations Requiring Specialized Handling

#### REGULATORY INFORMATION

USDA: N/A PDA: N/A

CPSC: N/A

TSCA: Components listed and reported with the provisions

outlined in Toxic Substances Control Act, 15 U.S.C.

DOT: Flammable

JET BREAK 2500 PROPER SHIPPING NAME:

Flammable Liquid, N.O.S.

(Methanol) UN 1993

HAZARD CLASS: Flammable

LABEL REQUIRED Yes

IDENTIFICATION NO.: N/A

OTHER PERTINENT INFORMATION: N/A

Superfund Amendments & Re-authorization Act (SARA) Title

III; Section S13, Supplier Notification.

Chemical CAS No. Weight Percent

Methanol 67-56-1 Ap 7-8 JET BREAK 2500 MSDS NO.: Page 5 of 5

#### SPECIAL PRECAUTIONS & COMMENTS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:
Product is corrosive to skin contact. Caution should be adhered to when handling product.
OTHER PRECAUTIONS: Keep away from children. Flammable:
REGISTRATIONS/CERTIFICATIONS: N/A
EFFECTIVE DATE: May 18, 1990

Supersedes any previous MSDS.

IMPORTANT - The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. Buyer assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. CHEMJECT INTERNATIONAL MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE ACCURACY OR COMPLETENESS OF THE INFORMATION AND DATA HEREIN. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE SPECIFICALLY EXCLUDED. Chemject International will not be liable for claims relating to any use of this product.

# HERCULES OFFSHORE CORPORATION MARINE DIVISION JOB COST WORKSHEET

Job #: 4526			Invoice #:	
Date Started: Fe	ebruary 1, 1	1995	Date Finished: Febru	uary 1, 1995
Job Type: OTHER   Customer: APACHE	OIL		Barge Name/#: LOAD	ING/LOADING
+				
Estimated Materi			TOTAL Materials :	0.00
Estimated Labor			TOTAL Labor :	
Estimated Waste			TOTAL Waste Water:	0.00
Total Estimated		0.00	TOTAL JOB COST :	92.57
			AMOUNT BILLED :	417.50
			PROFIT/(LOSS) :	324.93
-		WASTE WATER D	ISPOSAL	
# of Gallons:		x \$ 0.35	per gallon = \$: 0	.00
+		MATERIAL	8	
Invoice #			P.O. #	Amount
•	:		<b>:</b>	:
	:		<b>.</b>	:
i :	:		•	:
1:			<b>.</b>	<b>:</b>
1.				; •
	:		•	:
	•		•	•
	:			•
:	:		•	:
<b>:</b>	:		:	:
<b>:</b>	:		<b>:</b>	:
<b>:</b>	:		:	:
<u> </u>	:		:	:
•	:		:	:
1:	:		<b>.</b>	:
+	: 		: 	•
+		MATERIALS C	on't	HER 05117
!Invoice #	Vendor		P.O. #	Amount
	:		:	•
į:	:		•	:
<b>:</b>	:		: :	•
<b>:</b>	:		:	:
1:	:		:	:
1:	:		:	;
:	:		:	:
j :	:		:	:
i • • •	•		:	•
1.	•		<b>:</b>	•
	•		•	•
	 			•

#### LABOR HOURS

Emp#	Employee Na	me Init	Pay1	Hours	Total		Pay2	Hours	Total	
: 73	: DE LA ROS	A ,: G								
: 41	: PETTIT	,: s								
1:	:	,:	:	:	:	0.00	:	:	:	0.00
1:	:	,:	:	:	:	0.00	:	:	:	0.00
1:	:	.:	:	:	:	0.00	:	:	:	0,00
:	;	. :	:	:	:	0.00	:	:	;	0.00
<u>:</u>	:	.:	:	:	:	0.00		1	:	0.00
] :	:		:	:	:	0.00		:	:	0.00
	:	. <b>:</b>	:	:	:	0.00		:	:	0.00
1:	•	. :	:	:	:	0.00		:	:	0,00
	:	.:	:	:	:	0.00		:	:	0.00
	:	. :	:	:	:	0.00		:	:	0.00
:	:	. :	:	:	:	0.00		:	:	0.00
	:		:	:	:	0.00		:	:	0.00
	:	. 1	:	:	±	0.00		:	:	0.00
1:	•		:	•	•	0.00		: :	:	0.00
	•		•	•	•	0.00		:	<u>.</u>	0.00

#### LABOR HOURS con't

Emp#	Employee	Name	Init	Pay1	Hours	Total		Pay2	Hours	Total	
<b>:</b>	:	,	<b>,</b> :	:	:	:	0.00	:	;	:	0.00
<b>:</b>	:	1	<b>,</b> :	:	:	:	0.00	:	:	:	0.00
<b>;</b> :	:	:	<b>, :</b>	:	:	:	0.00	:	:	:	0.00
:	:	,	<b>,</b> :	:	:	:	0.00	:	:	:	0.00
1:	:	:	, :	:	:	:	0.00	:	:	:	0.00
1:	:	,	; ;	:	:	:	0.00	:	:	:	0.00
<b>:</b>	:		, :	:	:	:	0.00	:	:	:	0.00
<b>:</b>	:		, ;	:	:	:	0.00	:	:	:	0.00
<b>{:</b>	:		<b>,</b> :	:	:	:	0.00	:	:	:	0.00
<b>¦</b> :	:	ı	, :	:	:	:	0.00	:	:	:	0.00
:	:	,	<b>,</b> :	:	:	:	0.00	:	: .	:	0.00
<b>:</b>	:	ı	, :	:	:	:	0.00	:	:	:	0.00
<b>:</b>	:		<b>,</b> :	:	:	:	0.00	:	:	:	0.00
<b>;</b> :	:	1	, :	:	:	:	0.00	:	:	:	0.00
<b>:</b>	ŧ		<b>,</b> ;	:	:	:	0,00	:	:	:	0.00
; ;	:	:	, :	:	:	:	0.00	<u>:</u>	:	:	0.00
1			TO	TAL	:				:	0:	0.00

# HERCULES OFFSHORE CO.

INVOICE NO.

MANUE HEI AIN	CUSTOMER P.O.						
ORDER No. 4526							
2-1-95 D ARRIVAL	C NAME U APACHE OIL AND GAS CO.						
	, , <b>3  </b>						
T COMPLETION DATE	O COTTY AND STATE						
DEPARTURE DAVE	M E PHONE NUMBER R G/Y AUTHORISED BY						
M/V D GARGE							
NAME	FRA NK						
LOA	STOCK MATERIAL YES NO						
POREMAN	IF YES, COMPLETE STOCK MATERIAL TRANSFER TICKET						
TACKSON	OUTSIDE SERVICES						
YES YES	IF YES, LIST YES NO						
GAS FREEING NO CERTIFICATE REQUIRED NO CERTIFICATE	. ]						
HAUL OUT FOR INSPECTION AND REPAIR YES NO							
ON WAYS DATE:							
ON WAYS DATE:							
ITEM (	NUMBERS						
1 UNICADINA IST BREAK							
1 UNIOADING JET BREAK							
2							
2							
	<u> </u>						
3							
4							
5							
6							
· · · · · · · · · · · · · · · · · · ·							
_							
7							
8							
· ·							
9							
10							
THIS SHALL SERVE AS YOUR AUTHORIZATION TO PROCEED	WITH THE ABOVE. HER 05119						
Signed:	Date:						
	<del>-</del>						